

---

# New Pap Smear Guidelines 2013 Acog

Recognizing the pretension ways to get this ebook **New Pap Smear Guidelines 2013 Acog** is additionally useful. You have remained in right site to start getting this info. acquire the New Pap Smear Guidelines 2013 Acog associate that we find the money for here and check out the link.

You could purchase guide New Pap Smear Guidelines 2013 Acog or get it as soon as feasible. You could speedily download this New Pap Smear Guidelines 2013 Acog after getting deal. So, later than you require the books swiftly, you can straight acquire it. Its fittingly unconditionally easy and for that reason fats, isnt it? You have to favor to in this impression

The American College of  
Obstetricians and  
Gynecologists (ACOG)  
New USPSTF  
recommendations say most



---

women can get an HPV test instead of a Pap smear to check for cervical cancer risk, and can wait five years between tests. ... While the new guidelines may seem ...

Pap Smears -- Clinical Recommendation

The guidelines generally advise a reduction in the number of tests women get over their lifetime to better ensure that they receive the benefits of testing while minimizing the harms, and include a preference for co-testing using the Pap test and HPV test for women age ages 30 to 65.

WHO | New guidelines for the

screening and treatment of ...

ASCCP c/o SHS Services, LLC 131 Rollins Ave, Suite 2 Rockville, MD 20852. Phone: 301-857-7877

#### NEW PAP GUIDELINES

These new guidelines combined with HPV vaccination, support the commitment of Member States to implement cervical cancer prevention programme as part of the 2013-2020 Global Action Plan for the Prevention and Control of Noncommunicable Diseases

and will help ensure that cervical cancer ceases to be a public health problem.

#### New Pap Smear Guidelines

With the advent of the Papanicolaou (Pap) test in 1945, mortality from this malignancy declined more than 70% (Datta et al., 2008; Spitzer, 2007). An annual Pap smear was the recommended guideline for many years. New cervical cancer guidelines were released by the United States Preventative Services Task Force (USPSTF) on March 14, 2012.

---

*Pap Smear (Pap Test):  
Resource Overview - ACOG*  
This video is unavailable.  
Watch Queue Queue. Watch  
Queue Queue  
Cervical Cancer - Clinical  
Preventive Service ...  
Therefore, Pap test screening for  
individuals with HIV who are  
aged 65 years and older should  
not be discontinued [Gravitt et al.  
2013]. The Pap test is useful in  
identifying those who require  
further evaluation, which can  
include more frequent testing,  
referral for colposcopy and  
directed biopsy, and subsequent  
treatment of biopsy-proven ...  
*U.S. Preventive Services Task  
Force Issues New Cervical ...*

Women 21 to 65 (Pap Smear) or  
30-65 (in combo with HPV  
testing) The USPSTF  
recommends screening for  
cervical cancer in women age 21  
to 65 years with cytology (Pap  
smear) every 3 years or, for  
women age 30 to 65 years who  
want to lengthen the screening  
interval, screening with a  
combination of cytology and  
human papillomavirus (HPV)  
testing every 5 years.  
*Changes to cervical cancer  
prevention guidelines: Effects*  
...  
Two screening tests can help  
prevent cervical cancer or find  
it early— The Pap test (or Pap  
smear) looks for precancers,

cell changes on the cervix that  
might become cervical cancer if  
they are not treated  
appropriately.; The HPV test  
looks for the virus (human  
papillomavirus) that can cause  
these cell changes.Both tests  
can be done in a doctor's office  
or clinic.

### New Pap Management Guidelines – Balancing Benefits and ...

Primary hrHPV testing is  
defined as a stand-alone test  
for cervical cancer screening  
without concomitant  
cytology testing. It may be  
followed by other tests (like

---

a Pap) for triage. This test specifically identifies HPV 16 and HPV 18, while concurrently detecting 12 other types of high -risk HPVs.

### ThePapApp

Changes to cervical cancer prevention guidelines:

Effects on screening among U.S. women ages 15–29. ... a Pap test in the previous year, was based on responses to the question, “In the past 12 months, have you received a Pap smear?” Other relevant measures included age at first vaginal intercourse (first

sex), coded as never had sex ...

Most women between the ages of 21 and 29 need a pap smear every three years. The new pap smear guidelines (2012) recommend that a woman’s first pap smear should be when she is 21 years old and not before. Being sexual active does not change this recommendation.

### **Homepage - ASCCP**

Women aged 21 to 65 should be screened with cytology (commonly known as Pap smear) every 3 years. As an alternative, women aged 30 to 65 who want to

be screened less frequently may choose the combination of cytology and human papillomavirus (HPV) testing every 5 years, which offers similar benefits to cytology only. This is an A recommendation.

*Final Update Summary: Cervical Cancer: Screening - US ...*

Mississippi Sunrise in NOLA. It’s fitting that this year’s ACOG meeting was held in New Orleans, because navigating the 2013 ASCCP Pap Smear Management Guidelines

---

presented there feels like trying to make my way through the Mississippi bayou. The guidelines include 18 different algorithms encompassing almost any combination of pap and HPV abnormality we docs are likely to encounter among ...

### **New Pap Smear Guidelines 2013**

Beginning at age 30, the preferred way to screen is with a Pap test combined with an HPV test every 5 years. This is called co-testing and should continue

until age 65. Another reasonable option for women 30 to 65 is to get tested every 3 years with just the Pap test.

### Cervical Cancer Screening Guidelines for Average-Risk Women

The AAFP supports the U.S. Preventive Services Task Force (USPSTF) clinical preventive service recommendation on cervical cancer.

*New cervical cancer guidelines start making Pap smears ...*

The incidence of cervical cancer in the United States has decreased by more than 50% in the past 30 years because of widespread

screening with cervical cytology, including the Pap test (Pap smear). New technologies, including HPV testing, continue to evolve, as do guidelines for managing abnormal results.

### **Guidelines - ASCCP**

New 2013 Pap Smear

Recommendations The American College of Obstetricians and Gynecologists (ACOG) recently came out with new Pap smear guidelines. Women should have their first screening Pap smear at age 21 unless the woman has had a previous abnormal Pap smear.

Women in their 20's should have a Pap smear every two years (assuming prior Pap

New Cervical Cancer Screening Guidelines: Was

---

the Annual ...

A pap smear is an important part of a woman's healthcare plan. And it's important to know how often you should have the exam. Dr. Megan Pallay goes over the latest guidelines.

**The American Cancer Society Guidelines for the Prevention ...**

New Pap Smear Guidelines  
2013